



PAGER Version 6


10,000

1,000


100,000

Created: 2 weeks, 1 day after earthquake

M 5.5, 157 km ENE of Hachinohe, Japan Origin Time: 2020-11-06 08:56:38 UTC (Fri 18:56:38 local) Location: 40.9903° N 143.2550° E Depth: 12.0 km








Estimated Population Exposed to Earthquake Shaking

ESTIMATED POPULATION EXPOSURE (k=x1000)		_*	2,063k	0	0	0	0	0	0	0
ESTIMATED MODIFIED MERCALLI INTENSITY		I	11-111	IV	V	VI	VII	VIII	IX	X+
PERCEIVE	SHAKING	Not felt	Weak	Light	Moderate	Strong	Very Strong	Severe	Violent	Extreme
POTENTIAL	Resistant Structures	None	None	None	V. Light	Light	Moderate	Mod./Heavy	Heavy	V. Heavy
DAMAGE	Vulnerable Structures	None	None	None	Light	Moderate	Mod./Heavy	Heavy	V. Heavy	V. Heavy

^{*}Estimated exposure only includes population within the map area.

Population Exposure

population per 1 sq. km from Landscan 5000



Structures

Overall, the population in this region resides in structures that are resistant to earthquake shaking, though vulnerable structures exist. The predominant vulnerable building types are heavy wood frame and reinforced/confined masonry construction.

Historical Earthquakes

Date	Dist.	Mag.	Max	Shaking
(UTC)	(km)		MMI(#)	Deaths
1994-12-28	52	7.7	VII(130k)	3
1983-05-26	355	7.7	VII(174k)	104
1993-07-12	393	7.7	VIII(4k)	200

Recent earthquakes in this area have caused secondary hazards such as landslides and fires that might have contributed to losses.

Selected City Exposure

from Ge	eoNames.org	
MMI	City	Population
Ш	Misawa	43k
Ш	Hachinohe	239k
Ш	Uchimaru	<1k
Ш	Furudate	<1k
Ш	Inuotose	<1k
Ш	Mutsu	49k
II	Morioka	295k
II	Tomakomai	175k
II	Muroran	96k
II	Hanamaki	73k
Ш	Kitakami	94k

bold cities appear on map.

(k = x1000)

PAGER content is automatically generated, and only considers losses due to structural damage. Limitations of input data, shaking estimates, and loss models may add uncertainty.